

# ***HDFocus Specification***

Freestanding Kiosk with Touch  
HD-32F-T Windows Pro

[www.hdfocuspro.com](http://www.hdfocuspro.com)

32" Floortanding Kiosk with Touch

HD-32F-T Windows Pro

1. Product Outlook



Front



Side

2. Main Features

- ◆Excellent design with apple shape, aluminum alloy edging ;
- ◆Brand new original panel with LED backlight;
- ◆Ultra high resolution of 1920\*1080;
- ◆Excellent design with super slim body of only 29mm thickness;
- ◆Built in 10 points sensitive IR touch;
- ◆Windows OS, Windows7, 8.1 ,10 and 11 is available, can customize Linux OS;
- ◆Support to play program directly from USB;
- ◆ System support USB upgrade and remote network upgrade;
- ◆Color available: black, silver grey, champagne golden;
- ◆ Support Ethernet, WIFI network, and can customize 3/4G function;
- ◆One stop solution, built in professional digital signage software;
- ◆Industrial level design, support 24/7 working;
- ◆CE, RoHS, TELEC and PSE certified
- ◆ISO9001 and ISO14000 certified;

3. Display

|                |                                  |
|----------------|----------------------------------|
| Display Screen | 32” TFT Panel with LED backlight |
| Display Ratio  | 16:9                             |
| Color          | 16.77M colors                    |
| Display area   | 698.4*392.85mm                   |
| Resolution     | 1920*1080                        |
| Brightness     | 350cd/m2                         |
| Response Time  | Less than 5ms                    |
| Contrast       | 3000:1                           |
| View Angle     | 178° left and right, up and down |
| Life time      | Over 60,000hrs                   |

4. Motherboard Performance

|              |                                                     |
|--------------|-----------------------------------------------------|
| Windows Max  | Intel® Core Dual i3 CPU, 4 <sup>th</sup> Generation |
| RAM          | DDR 3, 4G RAM                                       |
| SSD          | 128G SSD (can expand)                               |
| Main Board   | Industrial board                                    |
| Network Port | 10/100M/1000M adaptive port                         |
| WIFI         | Support WIFI dual band 2.4G/5.2G                    |
| OS           | Windows 7, 8.1, 10,11 trial version;<br>Linux OS;   |

5. Interface

|                   |                                   |
|-------------------|-----------------------------------|
| USB               | USB2.0*2, USB3.0*2                |
| COM               | COM*1                             |
| HDMI Output       | HDMI*1                            |
| VGA Output        | VGA*1                             |
| MIC Audio Input   | MIC Audio*1                       |
| Line Audio Output | Line*1                            |
| Network           | RJ45*1, built-in Gigabit Ethernet |
| WIFI              | WIFI*1, support 802.11 b/g/n      |


6. IR Touch

|                   |                         |
|-------------------|-------------------------|
| Touch Type        | Infra-red               |
| Points            | 10 points               |
| Glass cover       | Tempered glass cover    |
| Response Time     | Less than 5ms           |
| Resolution        | 32767 * 32767           |
| Position Accuracy | ±1.5mm                  |
| Communication     | USB2.0                  |
| Life Time         | Over 60,000,000 touches |

7. Others

|                       |                          |
|-----------------------|--------------------------|
| Format                | PAL, NTSC                |
| Speaker               | 10W*2                    |
| Freestand Racker      | Basement*1               |
| Voltage               | DC12V/AC100-240V 50/60Hz |
| Power                 | ≤ 80W                    |
| Product Net Dimension | 1,700 *472*30mm          |
| Gross Weight          | 35KG                     |


8. Dimension Drawing:



9. HD-DS IDSS version Digital Signage Software




Program Interface Edited by HD-DS IDSS version Software



HD-DS Key Features:

- ✂ Easy to operate, user can manage the system anywhere as long as he has internet access;
- ✂ Support online edit program and release program;
- ✂ Support visually make program, can preview the program immediately;
- ✂ Support centrally manage the system, but every terminal will download the program and play locally;
- ✂ Networking based, central control of multiple kiosks;
- ✂ Remotely control, such as restart, volume adjust, system upgrade;



Shenzhen HDFocus Technology Co., Ltd

Add: 5th Floor, 51 Building, Bantian No. 3 Industrial Park, Bantian Community, Bantian Street,  
Longgang, Shenzhen, China 518129  
T: 0086 755 8520 4829

Web: [www.hdfocuspro.com](http://www.hdfocuspro.com)